


NEW ITEMS - PRICE LIST

Art.No.		DM
2000	ALOUETTE 2, Standard	500.-
2500	ALOUETTE 2 WITH COLLECTIVE PITCH	750.-
3000	BELL JET RANGER	1000.-
20 S	Standard Fuel Tubing, black, 164 ft per spool	60.-
21 S	Silicone Fuel Tubing, 82 ft per spool	60.-
39	Glow Plug Connector, new	10.-
134	Plastic Clamp for Angle Measurement	10.-
135	Glow Plug Connector with Battery Holder	15.-
135a	Charging Cable	15.-
136	Mixer for V-Tails etc., (1 Pc.)	10.-
137	Helicopter Book	25.-
3080	Mixer for Helicopters (2 pcs.)	20.-
200	KAVAN Trainer	750.-
69	Turnbuckle with Snap Link	2.50
70	Turnbuckle with Threaded Coupler	2.-



ALOUETTE 2, RIGID ROTOR MODIFICATION KIT, Art.No. 2000 R - without Stabilizer Rod and without the Paddles (without Collective Pitch)

			DM
1	x	2205 R Rigid rotor head without collective pitch	50.-
1	x	3513 Bell crank 2:1	10.-
1	x	2220b Lead weights	4.-
1	x	2225 R Set for collective pitch (consisting of # 3513-b)	12.-
1	x	2076c Push rods with 4 ball joints, without brass balls	6.-
			82.-

ALOUETTE 2, COLLECTIVE PITCH MODIFICATION KIT, Art.No. 2500a - with the Stabilizer Rod and with the Paddles

			DM
1	x	2220a Main rotor blades for collective pitch	25.-
1	x	2221 Blade mounts with seesaw, Ø 7 mm axle	140.-
1	x	2221d Screws M 4 x 16 mm with nuts	1.-
1	x	2221e Seesaw, compl., Ø 4 mm and Hiller lever	45.-
1	x	3080 Mixer	20.-
1	x	2223 Hub with metal bushing	25.-
1	x	3505 Bell crank 1:1	3.-
1	x	3326 N Rubber damper	5.-
1	x	3320b Double ball joint, plastic	5.-
1	x	2508a Double ball unit	4.-
2	x	3324a Ball joints	20.-
1	x	3329 Wash-out control	25.-
1	x	3303f Bearing bolts, Ø 8 x 26 mm and Ø 4 x 19 mm	2.-
1	x	2225 Set for collective pitch (consisting of # 3513-b)	12.-
1	x	2076a Push rods, assorted	6.-
			338.-

ALOUETTE 2, RIGID ROTOR MODIFICATION KIT, Art.No. 2500 R- without the Stabilizer Rod and without the Paddles (with Collective Pitch)

			DM
1	x	2220a Main rotor blades for collective pitch	25.-
1	x	2220b Lead weights	4.-
1	x	2221d Screws M 4 x 16 mm with nuts	1.-
1	x	2222 Rigid rotor head with thrust bearing	180.-
1	x	2224 Hub, rigid, with metal bushing	20.-
1	x	3326 N Rubber damper	5.-
1	x	3080 Mixer	20.-
1	x	2508a Double ball unit	4.-
2	x	3324a Ball joints	20.-
1	x	3513 Bell crank 2:1	10.-
1	x	2076b Push rods, assorted	6.-
1	x	2225 R Set for collective pitch (consisting of # 3513-b)	12.-
1	x	3303f Bearing bolts, Ø 8 x 26 mm and Ø 4 x 19 mm	2.-
			309.-

NEW JET RANGER PARTS

New Clutch consisting of:

			DM	
1	x	3149	Clutch	50.-
1	x	3149c	Timing belt, 12 mm	12.50
1	x	3149d	Alu-timing belt gear, small	12.50
1	x	3149e	Split cones, assorted	10.-
1	x	3150	Clutch bell housing with shaft	50.-
				135.-

New Main Rotor Head with Collective Pitch consisting of:

1	x	3101a	Hub	20.-	
1	x	3101b	Bearing bolt	1.-	
1	x	3302c	Blade mounts with seesaw, Ø 7 mm axle	120.-	
1	x	3312a	Screws M 4 x 18 mm and nuts	1.-	
1	x	3317a	Stabilizer rod, Ø 5 mm	12.-	
1	x	3320	Seesaw, compl., and Hiller lever	45.-	
1	x	3320b	Double ball joint, plastic	5.-	
1	x	3326 N	Rubber damper	5.-	
1	x	3303f	Bearing bolts, Ø 8 x 26 mm and Ø 4 x 19 mm	2.-	211.-

New Main Rotor Head, Rigid, Art.no. 3000 R consisting of:

1	x	3303	Rigid rotor head with thrust bearing	150.-	
1	x	3303e	Hub, rigid	20.-	
1	x	3312a	Screws M 4 x 18 mm and nuts	1.-	
1	x	3513	Bell crank 2:1	10.-	
1	x	3513a	Bearing block	10.-	
1	x	3513b	Swash plate anti-rotate bracket, long	6.-	
1	x	3080	Mixer	20.-	
1	x	3040	New expert main rotor blades	30.-	
1	x	3040a	Lead weights	5.-	
1	x	3326 N	Rubber damper	5.-	
1	x	3076a	Push rods, assorted	6.-	
1	x	3303f	Bearing bolts, Ø 8 x 26 mm and Ø 4 x 19 mm	2.-	265.-
1	x	3114a	Metal spur gear, new RPM drive-train	7.50	
1	x	3204a	Plastic spur gear, new RPM drive-train	10.-	17.50
1	x	3040	New expert main rotor blades	30.-	
1	x	3040a	Lead weights	5.-	35.-
1	x	3513	Bell crank 2:1 (4 pcs.)	10.-	
1	x	3513a	Bearing block	10.-	
1	x	3513b	Swash plate anti-rotate bracket, long	6.-	26.-
1	x	3506a	Pitch angle lever	8.-	
1	x	3507a	Pitch lever	8.-	16.-
1	x	3080	Mixer	20.-	
1	x	3201a	Main rotor shaft, hollow	20.-	
1	x	3078	Steel wire landing skids	25.-	
1	x	3079	Horizontal stabilizer control set	15.-	
1	x	3038b	Levelling fixture with ball bearing	50.-	
1	x	3038c	Ball bearing unit with screws and bushings for # 3038b	20.-	

NEW ITEMS IN THE LINE OF MODEL ACCESSORIES

Standard Fuel Tubing, black, art.no. 20 S

Now available in running feet on spools (164 ft per spool).

Silicone Fuel Tubing, art.no. 21 S

Also available in running feet on spools (82 ft per spool).

Glow Plug Connector, art.no. 39

Lately developed, with unique and shortproof internal connector unit. The newly designed plastic housing with long, cylindrical extension fits even into the glow plug recesses of deeply finned race car heat sinks.

Spare Soft Nose Rubber, art.no. 44a

For our Spinners, art.no. 44 through 53, improved rubber material.

Plastic Clamp for Angle Measurement, art.no. 134

The clamp is ideally suited for measuring blade angles on any helicopter. Included is a spirit level and a plastic angular template of 6°, the maximum blade angle for most helicopters.

Glow Plug Connector with Battery Holder, art.no. 135

Derived from our Glow Plug Connector, art.no. 39 with the same features, plus a battery holder for dry cell or appropriate Nicad.

Charging Cable, art.no. 135a

For the Glow Plug Connector, art.no. 135.

Mixer, art.no. 136

Adapts to any rotary servo disk on the market, with multiple application, such as deltas, V-tails, combined ailerons/flaps, etc.

Mixer, art.no. 3080

Also suitable to any rotary servo disk; applicable for helicopters for mixing the collective and cyclic pitch.

Helicopter Book, art.no. 137

This book is a must for the serious helicopter modeller because it covers the entire area of model helicopter flight, including the aerodynamic principles. As it was written in English, it is just right for you; see special leaflet.

KAVAN Trainer, art.no. 200

Contact your dealer for leasing information; see spécial leaflet.